



Assessment of Workplace Safety Climate among Healthcare Workers: A Case Study of the Public Sector Hospitals in Greece

Olympia Christofilea, MSc. in healthcare management, PhD candidate

Georgios Farantos, Postdoc fellow

Department of Public Health Policy, School of Public Health,
University of West Attica, Greece

Loukia Psaridi, Head of Department of Biochemistry

Red Cross General Hospital of Athens, Greece

Maria Tsaousi, Occupational Physician

General Hospital of Korinthos, Greece

Sofia Sartzi, MSc., PhD candidate

Department of Nursing, University of West Attica, Greece

Georgios Dounias, Professor

Department of Public Health Policy, School of Public Health,
University of West Attica, Greece

[Doi: 10.19044/esipreprint.8.2024.p89](https://doi.org/10.19044/esipreprint.8.2024.p89)

Approved: 06 August 2024

Posted: 08 August 2024

Copyright 2024 Author(s)

Under Creative Commons CC-BY 4.0

OPEN ACCESS

Cite As:

Christofilea O., Farantos G., Psaridi L., Tsaousi M., Sartzi S. & Dounias G. (2024).

Assessment of Workplace Safety Climate among Healthcare Workers: A Case Study of the Public Sector Hospitals in Greece. ESI Preprints.

<https://doi.org/10.19044/esipreprint.8.2024.p89>

Abstract

Safety climate assessment is considered an effective tool to investigate employees' perceptions of workplace safety practices, attitudes, and behaviors. **Scope and Aims:** The purpose of the survey is to assess the climate of workplace safety among employees in the public healthcare sector, with the following objectives: a) to identify the most decisive factors that determine the climate of safety at work in order to prioritize interventions, and b) to subserve commitment to create a positive climate of safety among both management and employees. **Methods:** For this purpose, a cross-sectional study was conducted in 23 hospitals, which concerned all employees in total. The tool used was the Nordic Occupational Safety

Climate Questionnaire (NOSACQ-50). **Results:** The results showed that the safety climate was generally negative and that there was a need for interventions (minor or major). Parameters with high statistical variation (< 0.0001) were identified, such as working position (employee or leader), employment status (tenure), age, hospital of origin, and specialty of the employee. **Conclusion:** To address the gaps identified, efforts need to be made to promote an effective and positive safety climate in all hospitals in the study, to emphasize prevention, and to strengthen the commitment of both management and employees in this direction.

Keywords: NOSACQ-50 questionnaire, occupational health and safety, healthcare, safety leadership

Introduction

Occupational safety and health (OSH) is considered an integral part of public health. OSH concept and significance has been upgraded since June 2022, when it was incorporated -as a fifth pillar- in the pre-existing framework of fundamental principles and rights at work (ILO, 2022). OSH's requirements represent primary factors of the social pillar of sustainable development, so initiatives to reduce occupational accidents and diseases are imperative (Nawaz et al., 2019). This need is exacerbated, as almost two million workers die each year due to exposure to work-related risks (WHO/ILO, 2021). Literature has highlighted several factors that can influence the occurrence and increase of occupational accidents, such as: working conditions, organizational factors, personal characteristics, training and supervision, the nature of work (Ford and Tetrick, 2008; Berhanu et al., 2019; Kang et al.2022; Debela et al., 2022) work-related stress (Kploanyi et al., 2020), but also behaviors (Bowdler et al., 2023), aroused by psychosocial factors prevalent in the workplace (Amoadu et al., 2023; Abbasi et al., 2021). The climate of safety at work can be a critical factor that influences employees' behavior within organizations (Schwatka et al., 2016). Another crucial factor affecting workplace safety systems is safety culture that has been formed within organizations. Safety climate and safety culture are for organizations the means to build their safety systems and incorporate elements such as employee perceptions of safety, commitment to safety at individual and administrative basis, security communication and the security system that exists during task performance. Ayim Gyekye and Haybatollahi (2014), in their study, showed that justice is an additional factor affecting organizations' capacity for security. This study concluded that employees with positive fairness perceptions had better perspective on workplace safety, were more compliant with safety policies and were less likely to be involved in accidents. Therefore, a strong safety culture and a positive safety climate

lead to decreased occupational injuries and have a positive effect on workplace safety (Cook et al., 2016; Ajslev et al., 2017; Fagnoli and Lombardi, 2020). A study among employees in Denmark, showed that employees' perceptions of workplace safety climate is an important predictor of occupational accidents (Ajslev et al., 2018). Occupational accident prevention, in the long-term leads to increased productivity and lower costs for both businesses and society. This conclusion is supported by an international study by OSHA-EU, according to which economic indicators show an annual burden on society from 'bad' OSH practices, estimated at 3.9% of global gross domestic product (GDP), i.e., €2680 billion (Elsler et al, 2017). Another important finding on workers' health and safety, across Europe, is highlighted in the ESEVER survey in 2019 (OSHA-EU (2022)). This research showed that there are varied approaches to managing OSH, not only among different countries but also within different facilities within the same country.

Assessing workplace safety could contribute to the convergence of these differentiations, as it provides the organization with an understanding of the perceptions and attitudes of its workforce, related to safety. In addition, it can be used as a diagnostic tool to help identify elements within the organization that need improvement, providing the necessary impetus for further evaluation. In fact, according to Liao et al. (2014) employee safety beliefs can be thought of as indicators of representation of organizational safety culture. Considering the above OSH framework, security climate assessment is considered a robust research approach which has often been the focus of many researchers (Bamel et al., 2020). In the literature one finds that in various sectors of occupation, such as industry, construction and mining (Kvalheim & Dahl, 2016; Balogun et al., 2020; Fagnoli & Lombardi, 2019; Kim et al., 2019; Mosly & Makki, 2020; Møller et al., 2021; Ghahramani et al., 2015; Luo et al., 2018) nuclear facilities (Martínez-Córcoles et al., 2011) transportation (Huang et al., 2016; Lee et al., 2019; Nævestad et al., 2018), aviation (O'Connor et al., 2011) safety climate has been investigated most often. However, security climate measures in healthcare are not often subject of research. Safety culture and theories about climate are clearly limited (Alsaleh et al., 2018), as limited are studies focusing on safety performance in hospitals, although healthcare professionals play a leading role in improving and maintaining safety not only for themselves but also for patients (Ausserhofer et al., 2012; Heier et al., 2021). Numerous scientific data support this point of view and highlight the strong connection between Occupational Health and Safety in healthcare and both the quality of services provided and patient safety (Lundstrom et al., 2002; Pousette et al., 2017; Dyrbye et al., 2017; Berry et al., 2020; Tawfik et al., 2019). Employees in hospitals and healthcare facilities in

general, are a working group of special interest because of its particular characteristics: the large number of employees worldwide, (there are 136 million workers in the field of health and social work), (WHO, 2024a), the great heterogeneity and the multiple risks to which they are exposed (physical, chemical, biological, ergonomic, radiation, psychological, social, etc. (WHO, 2024b) These risks are constantly changing because of rapid development in science and technology. In addition to these risks, health workers had to deal with the Covid-19 Pandemic, which has had a catalytic impact on health systems around the world. Workers in healthcare and social care suffer more injuries and illnesses than workers in any other sector of occupation and that continues to grow (U.S.BLS, 2020). In the EU, the incidence of non-fatal accidents, in human health activities, increased significantly from 2010 to 2020 (an increase of 42.8%). Healthcare, for the year 2021, is the second sector -after industry- with the most non-fatal accidents and seventh among twenty-one economic sectors in fatal accidents (Eurostat, 2023). Unsafe working conditions for health professionals, leading to occupational diseases, injuries, and absenteeism, are also a significant economic cost for the healthcare sector. According to WHO (2022), improving the health, safety and well-being of healthcare professionals, globally, reduces the cost of occupational harm (estimated at up to 2% of health expenditure) and helps minimize patient harm (estimated at up to 12% of health expenditure), and yet only one third of countries have a national policy to protect the health, safety and well-being of healthcare workers. Greece regarding to occupational health and safety has national legislation. In 2010 the government passed Law 3850/2010, that has incorporated the European Directive 89/391 / EEC - OSH "Framework Directive. This legislative framework applies to all businesses, private and public. In healthcare, it is important to identify the factors associated with risks in the workplace of workers in order to formulate a safety policy and a system that will promote improvement of productivity and overall well-being (Prajwal et al., 2020). Following this strategy, the benefits are multiple for healthcare professionals, patients, the healthcare system itself, but also for the wider society and economy.

This study was designed to develop a short and effective tool for measuring the climate of safety in healthcare organizations in public hospitals in Greece, as their complex and unique characteristics require further research. For the first time in Greece, an attempt is made to determine the level of safety climate among health professionals in public hospitals. This survey includes a large population of health professionals (workers & managers from all specialties) employed in twenty-three hospitals and aims, among other things, to identify the determining factors that shape the climate of safety.

The research tool used in this study is the Nordic Occupational Safety Climate Questionnaire (NOSACQ-50) (NFA, 2024). This questionnaire serves our purposes, as mentioned above, as it provides a comparative evaluation in terms of structure, financial, both nationally and internationally and creates opportunities regarding the acquisition of knowledge that can be cross-checked and shared, as there is a database created by the National Center for Research on the Working Environment (NFA) of Denmark. This questionnaire has been tested in various studies, in many occupational sectors, and its reliability and validity have been proved (Fagnoli & Lombardi, 2020; Lagerstrom et al., 2019; Khoshakhlagh et al., 2023). The use of this questionnaire aims to assess the safety climate in the healthcare sector that will provide the possibility of benchmarking at the same structure level (hospital) but can also be used more widely in other facilities with a similar work object. The conclusions of such a survey can be an incentive to launch a more effective policy in this area, with the active involvement of all stakeholders.

Methods

Sampling frame: The subject of our study is the total number of employees (n=23,941) in the public hospitals (n=23), within the 1st Health Region of Attica. These hospitals were classified, into five groups, according to their special purpose and the services offered, as follows: a) General/Main Duty Hospitals, b) Pediatric Hospitals, c) Special Purpose Hospitals, d) Other/Supportive Hospitals and 5) Oncology Hospitals. Subsequently, the staff of the above hospitals was classified into four clusters, based on their specialties, namely: a) medical, b) nursing, c) administrative/technical and d) other (all other specialties). Of the total number of employees (23.941), 69% are employed in General/Main Duty Hospitals, 13% in Pediatric Hospitals, 7% in Special Purpose Hospitals, 3% in Other/Supportive Hospitals and 8% in Oncology Hospitals. Also, 27% are physicians, 40% nurses, 11% administrative/technical personnel and 22% belong to other categories. In order for the sample (n) of each group to be representative, the following have been set: N=23,941 (total population), Z=standard deviation for 95% confidence level (Z=1.96), d=acceptable difference (3%). Considering the above, the total sample size (n) corresponds to 1022 employees. The proportion of staff per hospital category was then maintained in the sample, as well as the ratio of categories of employees.

Tools: Nordic Safety Climate Questionnaire (NOSACQ-50), presented by Kines et al, (2011), was used to assess the climate of safety in the hospitals of the study, after author's permission. To this study and to enhance the credibility of the research, a pilot survey was conducted among thirty healthcare workers (HCW) to assess acceptance, validity and reliability

of the questionnaire. The responses and general comments received were found to meet the needs of the study.

The questionnaire consists of fifty questions, describing seven dimensions of the security climate. Statements of each dimension examined are listed in table 1, and the interpretation of the results, in table 2. As for the evaluation criteria, a four-point Likert scale is used. In addition, the questionnaire included basic information on gender, age, job, specialty, employment status (tenure), years of experience, etc. The data collection took place from May 2023 to February 2024.

Table 1: Set of statements for each of the seven dimensions (Dim1 to Dim7) of the Nordic Safety Climate Questionnaire (NOSACQ-50). (source: NFA, 2022)

<i>Dimensions</i>	<i>Dimension's description</i>	<i>Content and numbers of statements provided</i>	<i>Positively formulate items</i>	<i>Reversed formulate items</i>
Dim1	Management safety priority, commitment, and competence	Workers' perception of safety management: 9 statements	5	4
Dim2	Management safety empowerment	Workers' perception of management empowerment and support to participate in safety issues: 7 statements	5	2
Dim3	Management safety justice	How workers perceive accidents' management: 6 statements	4	2
Dim4	Workers' safety commitment	How workers perceive their own commitment to safety: 6 statements	3	3
Dim5	Workers' safety priority and risk non-acceptance	Workers' risk-taking attitude and safety prioritization in their working tasks: 7 statements	1	6
Dim6	Safety communication, learning, and trust in co-workers safety competence	How workers perceive the exchange of safety knowledge and experiences among themselves: 8 statements.	7	1
Dim7	Trust in the efficacy of safety systems	Workers' perception of benefits derived from safety planning, training, monitoring, etc: 7 statements	4	3

Table 2: Interpretation of results of the Nordic Safety Climate Questionnaire (NOSACQ-50) (source: NFA, 2022)

<i>Score</i>	<i>Level</i>	<i>Meaning</i>
>3.30	Good	Maintaining and continuing developments of the safety climate dimension
3.00–3.30	Fairly good	The safety climate dimension is in slight need of improvement
2.70–2.99	Fairly low	The safety climate dimension is in need of improvement
<2.70	Low	The safety climate dimension is in great need of improvement

Data Analysis: to analyze the demographic characteristics of the study participants we used EXCEL Microsoft 360 (office) plan. Data gathered from the questionnaires were analyzed, using the same program, to calculate mean and standard deviation for each dimension of every respondent, in the first phase, for each hospital afterwards and for all hospitals finally. For further statistical processing of the data, we used Prism software package 10.2.2. to perform t-test analysis and one-way ANOVA. The statistical significance p was set $< 0.05\%$.

Results

At the end of the survey period, 1022 questionnaires were collected (100% response). The demographic characteristics of the participants are presented in Table 3.

Table 3: Demographic characteristics of respondents to the Nordic Safety Climate Questionnaire (NOSACQ-50)

<i>Characteristic</i>	<i>n (%)</i>
Age, years (n=1017)	
<40	248 (24.4%)
40-59	687 (67.3%)
≥60	85 (8.4%)
Gender (n=1020)	
male	292 (28.7%)
female	728 (71.3%)
Hospital category (n=1022)	
main (11)	710 (69,5%)
pediatric (3)	137 (13,4%)
special (4)	57 (5,6%)
other supportive (3)	33 (3,2%)
oncological (2)	85 (8,3%)
Personal categories (n=1022)	
doctors	274 (26,8%)
nurses	414 (40,5%)
administrative/technical	115 (11,3%)
others	219 (21,4%)
Educational background (n=1022)	
elementary	31 (3,0%)
high school	145 (14,2%)
university	378 (37,0%)
master/PhD	468 (45,8%)
Job position (n=1022)	
workers	813 (79,5%)
leaders	209 (20,5%)
Employment relationship (n=1022)	
permantent	717 (70,2%)
contract	305 (29,8%)
Total working Years in the Hospital (n=1007)	
<10	416 (41,3%)
10-19	225 (22,3%)
20-29	188 (18,7%)
30-39	164 (16,1%)
≥40	16 (1,6%)

To check the reliability of the results, an alpha Cronbach test was performed, separately for employees' and leaders' responses, in each of the seven dimensions. The test showed that all sets of elements were in an acceptable to good alpha Cronbach score range (0.70-0.90) between the seven dimensions in both categories. Dimension One (Management safety priority, commitment, and competence) scores highest for both employees and leaders (0.90). The results of the alpha Cronbach test are shown in table 4.

Table 4: Distribution of Cronbach's alpha reliability test in seven dimensions according to the job position (leaders/workers)

Dimensions	<i>Job position</i>	
	leaders	workers
Dim1	0,90	0,90
Dim2	0,89	0,86
Dim3	0,89	0,84
Dim4	0,85	0,82
Dim5	0,75	0,70
Dim6	0,82	0,82
Dim7	0,83	0,76

Studying the results initially for the groups of workers and leaders, we observe that in both groups there is no dimension in which the score reaches the level of "good" (> 3.30). In the leaders the level of "low" corresponds to one dimension but to four in the workers, which indicates on the one hand a need for great improvement and on the other hand a difference in the perceptions between the two groups. This fact is confirmed by the result of the t-test conducted to determine if there was a statistically significant difference between the two groups of staff in all 7 dimensions. The analysis shows very high statistical significance (< 0.0001) in the first six dimensions and quite high (0.0016) in the seventh. At the same time, as shown in Fig.1, a comparison was made with the data contained in the NOSACQ-50 database (source: nfk, 2024). This comparison shows that in both categories (leaders-workers) and for all dimensions average scores are lower in the present study. The trend of average grades to be higher among leaders is also shown in the results of the NOSACQ-50 database. The total results are shown in Fig,2.

A

Dimensions	Job position (n=1022)			NOSACQ-50 database	
	n=209		n=813	Job position (n=95.743)	n=72.800
	leaders mean (SD)	workers mean (SD)	t-test * p value	leaders mean	workers mean
Dim1	2.86 (0,56)	2.53 (0.59)	<0.0001****	3.28	3.08
Dim2	2.74 (0.53)	2.47 (0.53)	<0.0001****	3.18	2.98
Dim3	2.90 (0.57)	2.60(0.52)	<0.0001****	3.22	3.00
Dim4	3.19 (0.49)	3.02 (0.48)	<0.0001****	3.29	3.19
Dim5	2.61 (0.45)	2.46 (0.42)	<0.0001****	3.16	2.99
Dim6	3.07 (0.39)	2.90 (0.41)	<0.0001****	3.29	3.16
Dim7	3.24 (0.46)	3.13 (0.42)	0.0016**	3.36	3.24

*p<0,05 **p ≤0,01 ***p ≤0,001 ****p≤0,0001

B




Figure 1. (A) Safety Climate Dimension (DIM), Mean Scores and Standard Deviation for all respondents (Workers and Leaders) in Hospitals and t-test for all dimensions for workers vs leaders. The 2 columns on the right present data from the Nordic Safety Climate Questionnaire (NOSACQ-50) database (source: nfk,2024) (B) Radar diagram of safety climate survey results by dimension for workers and leaders

A **Gender (n=1020)**

Dimensions	male	female	t-test
	mean (SD)	mean (SD)	*p value
Dim1	2.61 (0.62)	2.59 (0.58)	0.448
Dim2	2.57 (0.56)	2.50 (0.53)	0.0397*
Dim3	2.67 (0.56)	2.65 (0.53)	0.4937
Dim4	3.00 (0.50)	3.08 (0.48)	0.0303*
Dim5	2.50 (0.45)	2.49 (0.43)	0.8856
Dim6	2.90 (0.40)	2.95 (0.42)	0.1123
Dim7	3.13 (0.45)	3.16 (0.43)	0.2582

* p < 0.05




Figure 2. (A) Safety Climate Dimension (DIM), Mean Scores and Standard Deviation separate for male and female in hospitals and t-test for all dimensions male vs females. (B) Radar diagram of safety climate survey results by dimension for males and females

The influence of gender, on the perception of security climate, was studied subsequently. The t-test analysis performed showed that statistically significant differences exist only in two dimensions, DIM2 and DIM4, (p=0.0397 and p=0.0303 respectively). DIM 2 reflects employees' perception of empowering management to support and participate in safety issues, where men score higher than women (M=2.57) and (M=2.50) respectively, but both score at a 'low level'(great need for improvement). DIM4, by contrast, which amounts to employee commitment to safety, may have differences in statistical significance, but it is on the threshold of a fairly good level that requires slight improvement in both sexes. The highest score, again corresponding to the same level, is obtained by dimension DIM7 (trust in security systems) for both sexes.Total results are shown in Fig,2.

An important statistical differentiation was revealed by the t-test in the subdivision of the sample based on the employment status. Six dimensions are of statistical significance (DIM 1,2,3,4,6 & 7), of which the first three, concerning the perceptions of the organizational safety of hospitals from the point of view of administrations, demonstrate a very high statistical significance ($p < 0.0001$) and a particularly low score of the average values of the (time limited) contract staff group (DIM1 2.44, DIM2 2.37, DIM3 2.54). In general, contract staff scored lower than permanent staff in all dimensions. Dimension 6 (Safety communication, learning, and trust in co-workers safety competence) ($M=2.51$) for permanent staff and ($M=2.46$) for contract workers shows a smaller difference. But both come with extremely low scores. DIM7 concerning workers' perception of the benefits arising from safety planning, training, monitoring, etc is at a level in need of slight improvement. This dimension is consistently at this level, in all subdivisions of the sample so far. The overall results are shown in Fig.3

A			
<i>Employment relationship (n=1022)</i>			
<i>Dimensions</i>	<i>permanent mean (SD)</i>	<i>contract mean (SD)</i>	<i>t-test *p value</i>
<i>Dim1</i>	2.66 (0.56)	2.44 (0.64)	<0.0001****
<i>Dim2</i>	2.59 (0.53)	2.37 (0.54)	<0.0001****
<i>Dim3</i>	2.71 (0.53)	2.54 (0.55)	<0.0001****
<i>Dim4</i>	3.08 (0.50)	3.01 (0.46)	0.0487*
<i>Dim5</i>	2.51 (0.44)	2.46 (0.42)	0.1409
<i>Dim6</i>	2.96 (0.41)	2.88 (0.43)	0.0087**
<i>Dim7</i>	3.17 (0.44)	3.10 (0.41)	0.0192*

**** $p \leq 0,0001$

* $p < 0,05$ ** $p \leq 0,01$ *** $p \leq 0,001$




Figure 3. (A) Safety Climate per Dimension (DIM1-7), Mean Scores and Standard Deviation separate for permanent and contract respondent in hospitals and t-test for all dimensions permanent vs contract. (B) Radar diagram of safety climate survey results by dimension for permanent and contract

Age also seems to be linked to the answers shown in Fig. 4, as the age group <40 y.o (including contract agents in this group) gave the lowest scores. All first three dimensions come with an extremely low score. DIM5 (worker's safety priority and non-acceptance) appears to be consistently low across all age groups. Employee perceptions in the >60 y.o category score higher in the top three than in the other two groups. In fact, in these dimensions, one-way Anova, showed high statistical significance. Two dimensions, DIM4 and DIM7, scored “Fairly good“ in all age groups. The remaining five dimensions correspond to a level in need of improvement, with several dimensions, in fact, in all groups, requiring major improvement. The overall results are shown in Fig.4.




Figure 4. (A) Safety Climate per Dimension (DIM 1-7), Mean Scores and Standard Deviation separate for 3 age groups and one-way ANOVA for all dimensions per group. (B) Radar diagram of safety climate survey results by dimension for 3 age groups of respondents

The relationship between age and employment status seems to coincide with the results of Fig. 5, which shows scores based on years of working experience in the hospital. Workers with fewer years of experience scored lower average scores than those with more years, mainly in the first 3 dimensions. These dimensions, according to the one-way ANOVA, exhibit high statistical significance. Statistical significance also occurs in dimension DIM 6. The overall results are shown in Fig.5.




Figure 5. (A) Safety Climate per Dimension (DIM 1-7), Mean Scores and Standard Deviation separate for 5 groups based on total working years in the hospital and one-way ANOVA for all dimensions per group. (B) Radar diagram of safety climate survey results by dimension for 5 groups of respondents based on total working years in the hospital

Figure 6 presents the results according to the educational background of the study participants. Classification does not show statistical significance in the first five dimensions. The latter two show statistical significance, according to the one-way ANOVA. These dimensions explore how employees perceive the exchange of safety knowledge and experiences with each other and the benefits of safety planning. Especially DIM7 (trust in the efficacy of safety systems) has the highest score in the data analysis so far (M=3.20). The elementary category, with the exception of Dim3, has the lowest average scores in all dimensions, with DIM5 being particularly low (M=2.32), which is the lowest score in all subdivisions of the sample that have been carried out. This demonstrates the need for immediate intervention with priority given to this category of staff. This dimension is presented with a low score consistently in all parameters analyzed in this paper. The overall results are shown in Fig.6.

A *Educational background (n=1022)*

Dimensions	elementary mean (SD)	high school mean (SD)	university mean (SD)	master/PhD mean (SD)	One-way ANOVA *p value
Dim1	2.51 (0.44)	2.58 (0.55)	2.60 (0.62)	2.60 (0.60)	0.8302
Dim2	2.47 (0.38)	2.54 (0.52)	2.52 (0.55)	2.52 (0.55)	0.9266
Dim3	2.67 (0.55)	2.64 (0.55)	2.66 (0.53)	2.67 (0.55)	0.9735
Dim4	2.88 (0.53)	3.03 (0.55)	3.09 (0.46)	3.05 (0.49)	0.0966
Dim5	2.32 (0.38)	2.47 (0.44)	2.53 (0.43)	2.49 (0.44)	0.0557
Dim6	2.75 (0.53)	2.90 (0.43)	2.93 (0.36)	2.97 (0.44)	0.0195*
Dim7	3.00 (0.59)	3.09 (0.42)	3.12 (0.42)	3.20 (0.44)	0.0017**

* p < 0.05 **p≤0,01




Table 6. (A) Safety Climate per Dimension (DIM 1-7), Mean Scores and Standard Deviation separate for four groups based on educational background and one-way ANOVA for all dimensions per group. (B) Radar diagram of safety climate survey results by dimension for the four groups of respondents based on educational background

The classification of the sample by hospital type and by working group are two main parameters, according to the design of the study. The results of these groups are presented in Fig. 7 and 8 respectively. According to the analysis of the results based on the type of hospital the employees come from, one-way ANOVA showed that there are statistically significant differences in the majority of dimensions. In particular, dimensions 1, 2, 3, 5 seem to have extremely high statistical significance, but DIM7 also shows an acceptable statistical difference. Looking at the average scores depicted in Fig. 7, we see that pediatric hospitals have lower scores in all dimensions, with the exception of dimension 5, where the Main hospitals have a score of (M=2.44) vs. M=2.57). In DIM6 pediatric hospitals have the same score with Main hospitals. Employees at these two hospitals types, appear to have the lowest scores compared to other types. Scores are better when it comes to special purpose and supporting hospitals, with the latter receiving the highest scores in all dimensions of all hospitals with the exception of DIM 5 where the special purpose ones score slightly higher. Oncology hospitals maintain consistently in all dimensions an average position (the 3rd), when compared to the other subdivisions. The DIM5 dimension scores very low in all

hospitals, with the lowest in the Main hospitals (M=2.44), followed by Paediatrics M=2.57) where the need for action is demonstrated. DIM7 continues to score the highest in all hospitals, with the exception of the other supportive, which for the first time score to the good level in a dimension (M=3.31), that requires only intervention for maintenance.




Figure 7. (A) Safety Climate per Dimension (DIM 1-7), Mean Scores and Standard Deviation separate for five groups based on hospitals category and one-way ANOVA for all dimensions per group. (B) Radar diagram of safety climate survey results by dimension for the five groups of respondents based on hospitals category

Finally the responses of study participants, based on the category of staff they belong to, are presented in Fig.8, According to one-way ANOVA, statistical significance was found in all dimensions among different categories of staff. Higher statistical significance was found in DIM1. DIM 2 and DIM 3 also show significant differences which, along with DIM1, reflect employees' perceptions of how leaders manage safety and accidents. DIM 4 also shows significant statistics. Comparing the average scores of all categories of staff, we see that doctors' perceptions of the safety climate in their workplace have the lowest score in all dimensions. The exception is DIM 5, in which doctors score as low as nurses. The category of all other health professionals follows physicians with the lowest mean scores in DIM

1,2,3,4, 5 (after nurses) and 7. Nurses scored the highest of all in two dimensions: DIM4 (M=3.12) and DIM7 (M=3.18). These two dimensions garnered the highest score in all categories of staff and are, with the exception of doctors, at the ‘Fairly good‘ level. In the other five dimensions, average scores are slightly better than for physicians and other workers. The administrative/technical group had the highest average scores overall, but only two dimensions scored at the ‘Fairly good‘ level. Dimension 5 is at the same level in all categories with the lowest average score. This dimension, which corresponds to workers' safety priority and risk non-acceptance, requires a great need for improvement intervention, especially for doctors and nurses. The overall results are shown in Fig.8.




Figure 8. (A) Safety Climate per Dimension (DIM 1-7), Mean Scores and Standard Deviation separate for four groups based on personal category and one-way ANOVA for all dimensions per group. (B) Radar diagram of safety climate survey results by dimension for the four groups of respondents based on personal category

Discussion

Our study provides an exploratory and descriptive analysis on the perception of safety climate among public hospital workers in Greece's most populous Health Region. The study aimed to bring to light issues related to occupational safety in this sector, to provide insight into workers' perceptions of risks, safety and safety management.

Examining the overall results, we conclude that all dimensions of the safety climate examined for both groups (workers/leaders) need

improvement (<3.30) and given that most dimensions are at the almost low and low level, a negative perceived safety climate of employees in their workplaces emerges. Compared to the NOSACQ-50 data, the hospitals in this study scored lower across all dimensions. Literature has shown that a good safety climate can intervene positively in the relationship between the organizational climate and employee safety, leading to safer behaviors and resulting in a reduction in accidents (Ajslev et al., 2017;Luo, 2020;Kalthah et al., 2021).

An interesting fact that emerges from our study is that DIM 5 (priority to worker safety and non-acceptance of risk) consistently scored the lowest score in all subdivisions of the sample. This finding shows that employees perform their jobs accepting risk-taking, accept risky behaviors, violate safety rules and have developed a tolerance for risk. as they consider it to be an inevitable part of their job. These conclusions can be drawn from the analysis of the questions corresponding to this dimension. The further in-depth analysis of the data, combining the DIM5 score with the also low <2.70 average score of employees in DIM 3 (Management safety justice), which corresponds to the management's effort to manage accident prevention, demonstrates the need for immediate actions to improve the safety climate and strengthen the perceptual organizational support of employees for this. According to Mori et al. (2024) organizations in order to enhance the perceptual organizational support of employees, should develop competencies that appear to work in practice e.g. fairness, supervisor support, rewards, favorable working conditions and human resource management practices.

On the other hand, it is particularly encouraging that three out of the 4 dimensions (4,6,7) that are most focused on safety management from the employees' point of view scored at the level of 3.00–3.30 (Fairly good) corresponding to a slight need of improvement, meaning that employees are aware that commitment to safety is required. They trust the effectiveness of security systems and the benefits derived from safety planning, safety inspections and audits, clearly defined safety objectives, training but also communication, trust and exchange of knowledge and experience, according to the questions answered in these dimensions. These dimensions are very important, especially in healthcare, as healthcare professionals, in addition to their own safety, also place high priority on patient safety. In fact, several times they have risked their own safety and health to provide safety to patients according to the findings of Strid et al., 2021. Therefore, a good climate of safety enhances safe patient care and at the same time ensures the safety of HCW (Pousette et al., 2017;Agnew et al., 2013;Taylor et al., 2012). Scores in the dimensions of safety climate, as presented in this study, show that variables concerning the management side

such as priority of safety, commitment and safety management skill (DIM1) garnered very low scores, which contrast with the high scores obtained by the corresponding variables indicating employees' commitment to safety (DIM4). Management safety priority expresses the employee's sense of management's behavior in actions related to the safety hierarchy, even when production pressure is high. In these circumstances, as already mentioned, healthcare professionals involved in our study accept risk-taking. Risk acceptance, according to the data in the figure 1, concerns both employees and leaders. This finding shows that great needs for improvement are required with everyone's participation. When managers have a strong commitment to safety principles and take action, employee behaviors can be improved. When a low level of safety prevails, managers and employees tend to consider that responsibility for safety lies with others and not with themselves. These findings converge with the results of the study of Prussia et al. (2003) which further states that in an environment where managers and employees share the responsibility of safety, as a common concern, safety climate tends to become stronger. Luo, (2020) supported that the overall security climate consists of four dimensions, the first being the attitude of the Senior Supervisor, the others were security oversight, security production environment and the implementation of safety training. The fact that both employees and managers scored relatively high on the safety commitment dimension suggests a high priority of safety on their part, but eliminating imminent risks requires both management commitment and capacity to create a strong safety climate. These are also evident from the findings of a multinational study by Zwetsloot et al. (2017) in which 27 European companies adopted "Zero Accident Vision" (ZAV).

The ZAV survey results were compared with the NOSACQ-50 questionnaire, with managers consistently garnering higher scores than employees. This is confirmed in the present study. Although higher, average leaders' scores, still remain low. This can be attributed to the fact that leaders in the hospitals in the study play a dual role, often being employees and managers simultaneously, as a result of which they have learned exposure and risk response in a similar way. In organizational dimensions, leaders as already discussed have higher average scores (still lower than desired) than employees. This could be explained by the fact that this group overestimates the safety and competence of management which enhances the image of management and indirectly their own (Marín et al., 2019). On the other hand, this could be explained by the assumption that managers and employees have different levels of expertise and therefore face risk differently but such a characteristic cannot be taken into account in the other subdivisions analysed. In particular, the level of expertise is not confirmed to be decisive as in the one-way ANOVA, it did not show significant differences in

categories based on age and years of experience compared to DIM5 which counts exactly that. Therefore, the hypothesis that older and therefore richer experienced workers take on a higher risk is not confirmed in this study of healthcare workers. On the contrary, there are studies in other areas that show that more experienced employees are prone to risky behaviors (Ji et al., 2018; Martín et al., 2009) and overestimate their ability to cope with high-risk situations in their workplace (Arcury et al., 2015; Stoesz et al., 2020).

The employment status (tenure) differentiates employees' perception of safety issues in this study. Non-permanent workers, who are generally of younger age, appear to have a better perception of safety issues, which is reflected in their low scoring. In addition, the employment status of employees according to a cross-sectional study by Sønnderstrup-Andersen et al., (2011) in Denmark, confirms the result of the present study, namely, that salaried employees had higher and more favorable scores for the safety climate than those who did not have a permanent employment relationship.

The significant statistical correlations identified in the age parameter, especially in Dim1 (priority, commitment, and management's ability to manage safety) in this study, are consistent with numerous studies in this field (Fagnoli & Lombardi, 2020; Jafari et al., 2014; Sønnderstrup-Andersen, 2011; Wu et al., 2007) and confirm that younger people perceive safety more negatively than employees of an older age in the same workplace. A further analysis of the demographics bring up another interesting feature. The vast majority of workers (75.7%) are over 40 years old, of which 8.4% are over 59 years old. Ageing workers need special attention because, although young workers are more likely to be involved in accidents at work than older workers, fatal and serious accidents occur relatively more frequently among older members of the workforce (OSHA-EU, 2023).

Gender is another parameter of this study with special interest. Literature, mainly in industry, is controversial, as it has been shown that men are usually more exposed to serious injury, since they are more often involved in more dangerous jobs and tend to be riskier (Gyekye (GAS) & Salminen, 2011). In our research, men and women seem to perceive the climate of safety in a similar way (both giving low scores) and tend to be equally risky. Notable differences -statistically significant- concern DIM 2 and DIM4. Consequently, women perceive a lower level of management empowerment to support and participate in safety issues and a higher level of perception of their commitment to safety. The same results regarding these two dimensions were shown by the study of Fagnoli & Lombardi (2020) concerning the agricultural sector in Italy.

Regarding the parameters, type of hospital and staff group, the study revealed significant differences in the perception of the security climate. Based on these differences, central (e.g by the supervising Health Region)

intervention prioritization seems necessary. It also highlighted the groups of workers that require major and immediate improvement interventions (eg physicians). Furthermore, data analysis attracts focus on the need for specified interventions in particular sub-groups, such as young doctors with a time limited employment contract.

Taking into account all the above, this study comes to contribute to the literature on the safety climate in the health care sector, identifying the variation in perceptions of the safety climate in a wide range of parameters (job position/specialty, size and type of hospital, employment relationship, age, gender, years of experience, etc. in a fairly large and representative sample

Limitations: This study concerns employees in 23 hospitals belonging to one supervising Health Region. In order to conduct the research, permits had to be obtained from each hospital separately. This bureaucratic process was time-consuming, lasting as long as the data collection period. Encouragingly, however, all hospitals have given their approval and are awaiting the results in order to promote corrective actions.

Conclusions

This paper is the first study assessing on a larger scale the climate of safety among employees in Greek public hospitals. Our results, assessing safety climate, show an overall low score, indicating the need for interventions and improvement. Among the parameters studied, a particular role seems to be played by the job position, with employees scoring lower, the age associated with the employment status and the years of working experience, with young people understanding better and identifying gaps in safety. The same awareness on an even larger scale is found particularly in paediatric hospitals and in the category of physicians.

These results can be used to design constructive interventions to improve the safety climate and safety culture and to address the identified malfunctions, prioritizing the parameters that emerged from this study.

Acknowledgments: Special thanks to all colleagues in hospitals who helped carry out the research. We are thankful to the participating healthcare personnel.

Human Studies: Approval by the Research Ethics Committee of the University of West Attica (No 37230/05-04-2023) and from all hospitals.

Conflict of Interest: The authors reported no conflict of interest.

Data Availability: All data are included in the content of the paper.

Funding Statement: The authors did not obtain any funding for this research.

References:

1. Abbasi, M., Falahati, M., Kaydani, M., Fallah Madvari, R., Mehri, A., Ghaljahi, M., & Yazdanirad, S. (2021). The effects of psychological risk factors at work on cognitive failures through the accident proneness. *BMC Psychology*, 9(1), 162. <https://doi.org/10.1186/s40359-021-00669-5>
2. Agnew, C., Flin, R., & Mearns, K. (2013). Patient safety climate and worker safety behaviours in acute hospitals in Scotland. *Journal of Safety Research*, 45, 95–101. <https://doi.org/10.1016/j.jsr.2013.01.008>
3. Alsalem, G., Bowie, P., & Morrison, J. (2018). Assessing safety climate in acute hospital settings: A systematic review of the adequacy of the psychometric properties of survey measurement tools. *BMC Health Services Research*, 18(1), 353. <https://doi.org/10.1186/s12913-018-3167-x>
4. Ajslev, J., Dastjerdi, E. L., Dyreborg, J., Kines, P., Jeschke, K. C., Sundstrup, E., Jakobsen, M. D., Fallentin, N., & Andersen, L. L. (2017). Safety climate and accidents at work: Cross-sectional study among 15,000 workers of the general working population. *Safety Science*, 91, 320–325. <https://doi.org/10.1016/j.ssci.2016.08.029>
5. Ajslev, J. Z. N., Sundstrup, E., Jakobsen, M. D., Kines, P., Dyreborg, J., & Andersen, L. L. (2018). Is perception of safety climate a relevant predictor for occupational accidents? Prospective cohort study among blue-collar workers. *Scandinavian Journal of Work, Environment & Health*, 44(4), 370–376. <https://doi.org/10.5271/sjweh.3723>
6. Amodu, M., Ansah, E. W., & Sarfo, J. O. (2023). Influence of psychosocial safety climate on occupational health and safety: A scoping review. *BMC Public Health*, 23(1), 1344. <https://doi.org/10.1186/s12889-023-16246-x>
7. Arcury, T. A., Summers, P., Talton, J. W., Nguyen, H. T., Chen, H., & Quandt, S. A. (2015). Job Characteristics and Work Safety Climate Among North Carolina Farmworkers With H-2A Visas. *Journal of Agromedicine*, 20(1), 64–76. <https://doi.org/10.1080/1059924X.2014.976732>
8. Ausserhofer, D., Schubert, M., Engberg, S., Blegen, M., De, G., & Schwendimann, R. (2012). Nurse-reported patient safety climate in Swiss hospitals—A descriptive-explorative substudy of the Swiss

- RN4CAST study. *Swiss Medical Weekly*.
<https://doi.org/10.4414/smw.2012.13501>
9. Ayim Gyekye, S., & Haybatollahi, M. (2014). Relationship Between Organizational Justice and Organizational Safety Climate: Do Fairness Perceptions Influence Employee Safety Behaviour? *International Journal of Occupational Safety and Ergonomics*, 20(2), 199–211. <https://doi.org/10.1080/10803548.2014.11077045>
 10. Balogun, A. O., Andel, S. A., & Smith, T. D. (2020). “Digging Deeper” into the Relationship Between Safety Climate and Turnover Intention Among Stone, Sand and Gravel Mine Workers: Job Satisfaction as a Mediator. *International Journal of Environmental Research and Public Health*, 17(6), 1925. <https://doi.org/10.3390/ijerph17061925>
 11. Bamel, U. K., Pandey, R., & Gupta, A. (2020). Safety climate: Systematic literature network analysis of 38 years (1980-2018) of research. *Accident Analysis & Prevention*, 135, 105387. <https://doi.org/10.1016/j.aap.2019.105387>
 12. Berhanu, F., Gebrehiwot, M., & Gizaw, Z. (2019). Workplace injury and associated factors among construction workers in Gondar town, Northwest Ethiopia. *BMC Musculoskeletal Disorders*, 20(1), 523. <https://doi.org/10.1186/s12891-019-2917-1>
 13. Berry, J. C., Davis, J. T., Bartman, T., Hafer, C. C., Lieb, L. M., Khan, N., & Brill, R. J. (2020). Improved Safety Culture and Teamwork Climate Are Associated with Decreases in Patient Harm and Hospital Mortality Across a Hospital System. *Journal of Patient Safety*, 16(2), 130–136. <https://doi.org/10.1097/PTS.0000000000000251>
 14. Bowdler, M., Steijn, W. M. P., & Van Der Beek, D. (2023). Effective Components of Behavioural Interventions Aiming to Reduce Injury within the Workplace: A Systematic Review. *Safety*, 9(3), 46. <https://doi.org/10.3390/safety9030046>
 15. Cook, J. M., Slade, M. D., Cantley, L. F., & Sakr, C. J. (2016). Evaluation of safety climate and employee injury rates in healthcare. *Occupational and Environmental Medicine*, 73(9), 595–599. <https://doi.org/10.1136/oemed-2015-103218>
 16. Debela, M. B., Azage, M., Begosaw, A. M., & Kabeta, N. D. (2022). Factors contributing to occupational injuries among workers in the construction, manufacturing, and mining industries in Africa: A systematic review and meta-analysis. *Journal of Public Health Policy*, 43(4), 487–502. <https://doi.org/10.1057/s41271-022-00378-2>
 17. Directive 89/391/EEC - OSH "Framework Directive"

18. Dyrbye, L. N., Shanafelt, T. D., Mayo Clinic, Sinsky, C. A., American Medical Association, Cipriano, P. F., American Nurses Association, Bhatt, J., American Hospital Association, Ommaya, A., Association of American Medical Colleges, West, C. P., Mayo Clinic, Meyers, D., & Agency for Healthcare Research and Quality. (2017). Burnout Among Health Care Professionals: A Call to Explore and Address This Underrecognized Threat to Safe, High-Quality Care. *NAM Perspectives*, 7(7). <https://doi.org/10.31478/201707b>
19. Elsler D., Takala J., Remes J. An International Comparison of the Cost of Work-Related Accidents and Illnesses. Sep, 2017. [(accessed on 20 June 2024)]. Available online: <https://osha.europa.eu/en/publications/international-comparison-cost-work-related-accidents-and-illnesses>
20. Eurostat. Accidents at work statistics. (2023). [(accessed on 10 June 2024)]. Available online: [https://ec.europa.eu/eurostat/statistics-explained/index.php?title=Accidents at work statistics#Number of accidents](https://ec.europa.eu/eurostat/statistics-explained/index.php?title=Accidents_at_work_statistics#Number_of_accidents)
21. Fargnoli, M., & Lombardi, M. (2019). Preliminary Human Safety Assessment (PHSA) for the Improvement of the Behavioral Aspects of Safety Climate in the Construction Industry. *Buildings*, 9(3), 69. <https://doi.org/10.3390/buildings9030069>
22. Fargnoli, M., & Lombardi, M. (2020). NOSACQ-50 for Safety Climate Assessment in Agricultural Activities: A Case Study in Central Italy. *International Journal of Environmental Research and Public Health*, 17(24), 9177. <https://doi.org/10.3390/ijerph17249177>
23. Ford, M. T., & Tetrick, L. E. (2008). Safety motivation and human resource management in North America. *The International Journal of Human Resource Management*, 19(8), 1472–1485. <https://doi.org/10.1080/09585190802200231>
24. Ghahramani, A., & Khalkhali, H. R. (2015). Development and Validation of a Safety Climate Scale for Manufacturing Industry. *Safety and Health at Work*, 6(2), 97–103. <https://doi.org/10.1016/j.shaw.2015.01.003>
25. Gyekye (GAS), S., & Salminen, S. (2011). Organizational safety climate: Impact of gender on perception of workplace safety. *Perspectives in Psychology Research*, 61–77.
26. Heier, L., Gambashidze, N., Hammerschmidt, J., Riouchi, D., Weigl, M., Neal, A., Icks, A., Brossart, P., Geiser, F., & Ernstmann, N. (2021). Safety Performance of Healthcare Professionals: Validation and Use of the Adapted Workplace Health and Safety Instrument. *International Journal of Environmental Research and Public Health*, 18(15), 7816. <https://doi.org/10.3390/ijerph18157816>

27. Huang, Y.-H., Lee, J., McFadden, A. C., Murphy, L. A., Robertson, M. M., Cheung, J. H., & Zohar, D. (2016). Beyond safety outcomes: An investigation of the impact of safety climate on job satisfaction, employee engagement and turnover using social exchange theory as the theoretical framework. *Applied Ergonomics*, *55*, 248–257. <https://doi.org/10.1016/j.apergo.2015.10.007>
28. ILO. Declaration on Fundamental Principles and Rights at Work and its Follow-up. (2022). [(accessed on 20 June 2024)]. Available online: <https://www.ilo.org/ilo-declaration-fundamental-principles-and-rights-work-and-its-follow-up>.
29. Jafari, M. J., Gharari, M., Ghafari, M., Omid, L., Kalantari, S., & Fardi, G. (2014). The Influence of Safety Training on Safety Climate Factors in a Construction Site. *INTERNATIONAL JOURNAL OF OCCUPATIONAL HYGIENE*, *6*, 81–87.
30. Ji, Z., Pons, D., & Pearse, J. (2018). Why Do Workers Take Safety Risks?—A Conceptual Model for the Motivation Underpinning Perverse Agency. *Safety*, *4*(2), 24. <https://doi.org/10.3390/safety4020024>
31. Kalteh, H. O., Mortazavi, S. B., Mohammadi, E., & Salesi, M. (2021). The relationship between safety culture and safety climate and safety performance: A systematic review. *International Journal of Occupational Safety and Ergonomics*, *27*(1), 206–216. <https://doi.org/10.1080/10803548.2018.1556976>
32. Kang, S.-Y., Min, S., Kim, W.-S., Won, J.-H., Kang, Y.-J., & Kim, S. (2022). Types and Characteristics of Fatal Accidents Caused by Multiple Processes in a Workplace: Based on Actual Cases in South Korea. *International Journal of Environmental Research and Public Health*, *19*(4), 2047. <https://doi.org/10.3390/ijerph19042047>
33. Khoshakhlagh, A. H., Sulaie, S. A., Yazdanirad, S., & Park, J. (2023). Examining the effect of safety climate on accident risk through job stress: A path analysis. *BMC Psychology*, *11*(1), 89. <https://doi.org/10.1186/s40359-023-01133-2>
34. Kim, N. K., Rahim, N. F. A., Iranmanesh, M., & Foroughi, B. (2019). The role of the safety climate in the successful implementation of safety management systems. *Safety Science*, *118*, 48–56. <https://doi.org/10.1016/j.ssci.2019.05.008>
35. Kines, P., Lappalainen, J., Mikkelsen, K. L., Olsen, E., Pousette, A., Tharaldsen, J., Tómasson, K., & Törner, M. (2011). Nordic Safety Climate Questionnaire (NOSACQ-50): A new tool for diagnosing occupational safety climate. *International Journal of Industrial Ergonomics*, *41*(6), 634–646. <https://doi.org/10.1016/j.ergon.2011.08.004>

36. Kploanyi, E. E., Dwomoh, D., & Dzodzomenyo, M. (2020). The effect of occupational stress on depression and insomnia: A cross-sectional study among employees in a Ghanaian telecommunication company. *BMC Public Health*, 20(1), 1045. <https://doi.org/10.1186/s12889-020-08744-z>
37. Kvalheim, S. A., & Dahl, Ø. (2016). Safety compliance and safety climate: A repeated cross-sectional study in the oil and gas industry. *Journal of Safety Research*, 59, 33–41. <https://doi.org/10.1016/j.jsr.2016.10.006>
38. Lagerstrom, E., Magzamen, S., Kines, P., Brazile, W., & Rosecrance, J. (2019). Determinants of Safety Climate in the Professional Logging Industry. *Safety*, 5(2), 35. <https://doi.org/10.3390/safety5020035>
39. Law 3850/2010, Ratification of the code of laws for the health and safety of workers, Gazette of the Government of the Hellenic Republic (Government Gazette 84/A/02-06-2010)
40. Lee, J., Huang, Y.-H., Sinclair, R. R., & Cheung, J. H. (2019). Outcomes of Safety Climate in Trucking: A Longitudinal Framework. *Journal of Business and Psychology*, 34(6), 865–878. <https://doi.org/10.1007/s10869-018-9610-5>
41. Liao, P.-C., Lei, G., Fang, D., & Liu, W. (2014). The relationship between communication and construction safety climate in China. *KSCE Journal of Civil Engineering*, 18(4), 887–897. <https://doi.org/10.1007/s12205-014-0492-4>
42. Lundstrom, T., Pugliese, G., Bartley, J., Cox, J., & Guither, C. (2002). Organizational and environmental factors that affect worker health and safety and patient outcomes. *American Journal of Infection Control*, 30(2), 93–106. <https://doi.org/10.1067/mic.2002.119820>
43. Luo, T., Wu, C., & Duan, L. (2018). Fishbone diagram and risk matrix analysis method and its application in safety assessment of natural gas spherical tank. *Journal of Cleaner Production*, 174, 296–304. <https://doi.org/10.1016/j.jclepro.2017.10.334>
44. Luo, T. (2020). Safety climate: Current status of the research and future prospects. *Journal of Safety Science and Resilience*, 1(2), 106–119. <https://doi.org/10.1016/j.jnlssr.2020.09.001>
45. Marín, L. S., Lipscomb, H., Cifuentes, M., & Punnett, L. (2019). Perceptions of safety climate across construction personnel: Associations with injury rates. *Safety Science*, 118, 487–496. <https://doi.org/10.1016/j.ssci.2019.05.056>
46. Martín, J. E., Rivas, T., Matías, J. M., Taboada, J., & Argüelles, A. (2009). A Bayesian network analysis of workplace accidents caused

- by falls from a height. *Safety Science*, 47(2), 206–214. <https://doi.org/10.1016/j.ssci.2008.03.004>
47. Martínez-Córcoles, M., Gracia, F., Tomás, I., & Peiró, J. M. (2011). Leadership and employees' perceived safety behaviours in a nuclear power plant: A structural equation model. *Safety Science*, 49(8–9), 1118–1129. <https://doi.org/10.1016/j.ssci.2011.03.002>
48. Møller, J. L., Kines, P., Dyreborg, J., Andersen, L. L., & Ajslev, J. Z. N. (2021). The competences of successful safety and health coordinators in construction projects. *Construction Management and Economics*, 39(3), 199–211. <https://doi.org/10.1080/01446193.2020.1818800>
49. Mori, T., Nagata, T., Odagami, K., Nagata, M., Purwito Adi, N., & Mori, K. (2024). A prospective cohort study of perceived organizational support and occupational accidents and near-miss events among Japanese workers. *Journal of Safety Research*, 89, 19–25. <https://doi.org/10.1016/j.jsr.2024.01.002>
50. Mosly, I., & Makki, A. A. (2020). Safety Climate Perceptions in the Construction Industry of Saudi Arabia: The Current Situation. *International Journal of Environmental Research and Public Health*, 17(18), 6717. <https://doi.org/10.3390/ijerph17186717>
51. Nawaz, W., Linke, P., & Koç, M. (2019). Safety and sustainability nexus: A review and appraisal. *Journal of Cleaner Production*, 216, 74–87. <https://doi.org/10.1016/j.jclepro.2019.01.167>
52. Nævestad, T.-O., Hesjevoll, I. S., & Phillips, R. O. (2018a). How can we improve safety culture in transport organizations? A review of interventions, effects and influencing factors. *Transportation Research Part F: Traffic Psychology and Behaviour*, 54, 28–46. <https://doi.org/10.1016/j.trf.2018.01.002>
53. NFA. Safety Climate Questionnaire - NOSACQ-50. [(accessed on 12 February 2022)]. Available online: <https://nfa.dk/vaerktoejer/spoergeskemaer/safety-climate-questionnaire-nosacq-50/>
54. NFA. Interpreting the Nordic Occupational Safety Climate Questionnaire NOSACQ-50 results [(accessed on 28 May 2024)]. Available online: <https://nfa.dk/vaerktoejer/spoergeskemaer/safety-climate-questionnaire-nosacq-50/how-to-use-the-nordic-occupational-safety-climate-questionnaire-nosacq-50/interpreting-the-nordic-occupational-safety-climate-questionnaire-nosacq-50-results/>
55. O'Connor, P., O'Dea, A., Kennedy, Q., & Buttrey, S. E. (2011). Measuring safety climate in aviation: A review and recommendations

- for the future. *Safety Science*, 49(2), 128–138. <https://doi.org/10.1016/j.ssci.2010.10.001>
56. OSHA-EU. Third European Survey of Enterprises on New and Emerging Risks (ESENER 2019): Overview Report How European workplaces manage safety and health. (2022). [(accessed on 10 January 2024)]. Available online: <https://osha.europa.eu/en/publications/esener-2019-overview-report-how-european-workplaces-manage-safety-and-health>
57. OSHA-EU. Older workers. (2023). [(accessed on 10 June 2024)]. Available online: <https://oshwiki.osha.europa.eu/en/themes/older-workers>
58. Poussette, A., Larsman, P., Eklöf, M., & Törner, M. (2017). The relationship between patient safety climate and occupational safety climate in healthcare – A multi-level investigation. *Journal of Safety Research*, 61, 187–198. <https://doi.org/10.1016/j.jsr.2017.02.020>
59. Prajwal, M., Kundury, K., & Sujay, M. (2020). Assessing the awareness on occupational safety and health hazards among nursing staff of a teaching hospital. *Journal of Family Medicine and Primary Care*, 9(12), 5961. https://doi.org/10.4103/jfmprc.jfmprc_1025_20
60. Prussia, G. E., Brown, K. A., & Willis, P. G. (2003). Mental models of safety: Do managers and employees see eye to eye? *Journal of Safety Research*, 34(2), 143–156. [https://doi.org/10.1016/S0022-4375\(03\)00011-2](https://doi.org/10.1016/S0022-4375(03)00011-2)
61. Schwatka, N. V., Hecker, S., & Goldenhar, L. M. (2016). Defining and Measuring Safety Climate: A Review of the Construction Industry Literature. *Annals of Occupational Hygiene*, 60(5), 537–550. <https://doi.org/10.1093/annhyg/mew020>
62. Sønnderstrup-Andersen, H. H. K., Carlsen, K., Kines, P. A., Bjørner, J. B., & Roepstorff, C. (2011). Exploring the relationship between leadership style and safety climate in a large scale Danish cross-sectional study. *Safety Science Monitor*, 15(1), Article 8-. <http://ssmon.chb.kth.se/vol15/index.php>
63. Stoesz, B., Chimney, K., Deng, C., Grogan, H., Menec, V., Piotrowski, C., Shooshtari, S., & Turner, N. (2020). Incidence, risk factors, and outcomes of non-fatal work-related injuries among older workers: A review of research from 2010 to 2019. *Safety Science*, 126, 104668. <https://doi.org/10.1016/j.ssci.2020.104668>
64. Strid, E. N., Wåhlin, C., Ros, A., & Kvarnström, S. (2021). Health care workers' experiences of workplace incidents that posed a risk of patient and worker injury: A critical incident technique analysis. *BMC Health Services Research*, 21(1), 511. <https://doi.org/10.1186/s12913-021-06517-x>

65. Taylor, J. A., Dominici, F., Agnew, J., Gerwin, D., Morlock, L., & Miller, M. R. (2012). Do nurse and patient injuries share common antecedents? An analysis of associations with safety climate and working conditions. *BMJ Quality & Safety*, *21*(2), 101–111. <https://doi.org/10.1136/bmjqs-2011-000082>
66. Tawfik, D. S., Thomas, E. J., Vogus, T. J., Liu, J. B., Sharek, P. J., Nisbet, C. C., Lee, H. C., Sexton, J. B., & Profit, J. (2019). Safety climate, safety climate strength, and length of stay in the NICU. *BMC Health Services Research*, *19*(1), 738. <https://doi.org/10.1186/s12913-019-4592-1>
67. U.S. Bureau of Labor Statistics. Survey of Occupational Injuries and Illnesses (SOII) - Information for Respondents. (2022). [(accessed on 10 June 2024)]. Available online: <https://www.bls.gov/respondents/iif/>
68. Wu, T.-C., Liu, C.-W., & Lu, M.-C. (2007). Safety climate in university and college laboratories: Impact of organizational and individual factors. *Journal of Safety Research*, *38*(1), 91–102. <https://doi.org/10.1016/j.jsr.2007.01.003>
69. WHO/ILO. *Joint Estimates of the Work-Related Burden of Disease and Injury, 2000–2016: Global Monitoring Report*. WHO International Labour Organization; Geneva, Switzerland: 2021. [(accessed on 20 June 2024)]. Available online: <https://www.who.int/publications/i/item/9789240034945>
70. WHO. Occupational health: health workers. (2022) [(accessed on 10 June 2024)]. Available online: <https://www.who.int/news-room/fact-sheets/detail/occupational-health--health-workers>
71. WHO. Protecting health and safety of health workers. (2024a.) [(accessed on 10 June 2024)]. <https://www.who.int/activities/protecting-health-and-safety-of-health-workers>
72. WHO. Occupational hazards in the health sector. (2024b). [(accessed on 10 June 2024)]. Available online: <https://www.who.int/tools/occupational-hazards-in-health-sector>
73. Zwetsloot, G. I. J. M., Kines, P., Ruotsala, R., Drupsteen, L., Merivirta, M.-L., & Bezemer, R. A. (2017). The importance of commitment, communication, culture and learning for the implementation of the Zero Accident Vision in 27 companies in Europe. *Safety Science*, *96*, 22–32. <https://doi.org/10.1016/j.ssci.2017.03.001>